

101 766010

COFC

IN UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,366,030

Docket No: 2003-0095.00/US

Issue Date: April 29, 2008

Patentee: Kristy A. Campbell et al.

Title: SIMULTANEOUS READ CIRCUIT FOR MULTIPLE MEMORY CELLS



REQUEST FOR CERTIFICATION OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Certificate of Correction Branch

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.


Pursuant to 1.20(a), the examiner is authorized to charge the Certificate of Correction fee of \$100.00 to the Deposit Account No. 13-3092.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims as properly allowed, and re-examination is not required.

Respectfully submitted,

Customer Number: 26809

Date: May 13, 2008

By: 
Russ Slifer
Reg. No. 39,838

CERTIFICATE UNDER 37 CFR § 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450, on this 13th day of May 2008

Christine Hartness



Name

Signature

05/19/2008 HVUONG2 00000053 133092 7366030

01 FC:1811 100.00 DA

RECEIVED-USPTO
Patent Publication

MAY 21 2008



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Kristy A. Campbell et al.

Examiner: Tan Nguyen

Patent No.: 7,366,030

Group Art Unit: 2827

Issue Date: April 29, 2008

Docket No: 2003-0095.00/US

Title: SIMULTANEOUS READ CIRCUIT FOR MULTIPLE MEMORY CELLS

Commissioner for Patents
Office of Patent Publication
ATTN: Certificate of Correction Branch

We are transmitting herewith the attached:


- ☒ Authorization to charge the Certificate of Correction fee of \$100.00 to the Deposit Account No. 13-3092.
- ☒ Request for Certificate of Correction.
- ☒ Certificate of Correction Form - PTO-1050 (in duplicate)
- ☒ A return postcard.

Please charge any additional fees or credit overpayment to Deposit Account No. 13-3092.

Customer Number: 26809

Respectfully submitted,

Date: May 13, 2008


By: 

Russ Slifer
Reg. No. 39,838

CERTIFICATE UNDER 37 CFR 1.8: The undersigned hereby certifies that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria VA 22313-1450, on this 13th day of May 2008.

Christine Hartness

Name



Signature

OFFICE OF
PUBLICATION

MAY 21 2008

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,366,030

Page (1) of 1

DATED : April 29, 2008

INVENTOR(S) : Campbell et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 11, line 32, in Claim 17, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

In column 11, line 41, in Claim 19, delete "cm-1" and insert - - cm⁻¹ - -, therefor.

In column 12, line 16, in Claim 26, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

In column 13, line 13, in Claim 39, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

In column 14, line 4, in Claim 44, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

RECEIVED-USPTO
Patent Public

MAY 21 2008

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 7,366,030

Page (1) of 1

DATED : April 29, 2008

INVENTOR(S) : Campbell et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 11, line 32, in Claim 17, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

In column 11, line 41, in Claim 19, delete "cm-1" and insert - - cm⁻¹ - -, therefor.

In column 12, line 16, in Claim 26, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

In column 13, line 13, in Claim 39, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

In column 14, line 4, in Claim 44, delete "Ge₄₀Se₆₀" and insert - - Ge₄₀Se₆₀ - -, therefor.

RECEIVED-USPTO
Patent Publication

MAY 21 2008